



UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE
United States Patent and Trademark Office
Address: COMMISSIONER FOR PATENTS
P.O. Box 1450
Alexandria, Virginia 22313-1450
www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
09/989,372	11/21/2001	Richard H. Lane	M4065.0338/P338-A	1348
24998	7590	01/24/2006	EXAMINER	
DICKSTEIN SHAPIRO MORIN & OSHINSKY LLP			DOAN, THERESA T	
2101 L Street, NW			ART UNIT	
Washington, DC 20037			PAPER NUMBER	
			2814	
DATE MAILED: 01/24/2006				

Please find below and/or attached an Office communication concerning this application or proceeding.

Office Action Summary

Application No.

09/989,372

Applicant(s)

LANE, RICHARD H.

Examiner

Theresa T. Doan

Art Unit

2814

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address --

Period for Reply

A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 03 MONTH(S) FROM THE MAILING DATE OF THIS COMMUNICATION.

- Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication.
- If the period for reply specified above is less than thirty (30) days, a reply within the statutory minimum of thirty (30) days will be considered timely.
- If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication.
- Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133).
- Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).

Status

- 1) ☒ Responsive to communication(s) filed on 28 November 2005.
- 2a) ☐ This action is FINAL. 2b) ☒ This action is non-final.
- 3) ☐ Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under *Ex parte Quayle*, 1935 C.D. 11, 453 O.G. 213.

Disposition of Claims

- 4) ☒ Claim(s) 29-32, 34-39, 41, 44-47, 49 and 51-64 is/are pending in the application.
- 4a) Of the above claim(s) _____ is/are withdrawn from consideration.
- 5) ☒ Claim(s) 29-32, 34 and 35 is/are allowed.
- 6) ☒ Claim(s) 36-39, 41, 44-47, 49 and 51-64 is/are rejected.
- 7) ☐ Claim(s) _____ is/are objected to.
- 8) ☐ Claim(s) _____ are subject to restriction and/or election requirement.

Application Papers

- 9) ☐ The specification is objected to by the Examiner.
- 10) ☐ The drawing(s) filed on _____ is/are: a) ☐ accepted or b) ☐ objected to by the Examiner.
- Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).
- 11) ☐ The proposed drawing correction filed on _____ is: a) ☐ approved b) ☐ disapproved by the Examiner.
- If approved, corrected drawings are required in reply to this Office action.
- 12) ☐ The oath or declaration is objected to by the Examiner.

Priority under 35 U.S.C. §§ 119 and 120

- 13) ☐ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
- a) ☐ All b) ☐ Some * c) ☐ None of:
- ☐ Certified copies of the priority documents have been received.
 - ☐ Certified copies of the priority documents have been received in Application No. _____.
 - ☐ Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)).
- * See the attached detailed Office action for a list of the certified copies not received.
- 14) ☐ Acknowledgment is made of a claim for domestic priority under 35 U.S.C. § 119(e) (to a provisional application).
- a) ☐ The translation of the foreign language provisional application has been received.
- 15) ☐ Acknowledgment is made of a claim for domestic priority under 35 U.S.C. §§ 120 and/or 121.

Attachment(s)

- 1) ☒ Notice of References Cited (PTO-892) 4) ☐ Interview Summary (PTO-413) Paper No(s). _____
- 2) ☐ Notice of Draftsperson's Patent Drawing Review (PTO-948) 5) ☐ Notice of Informal Patent Application (PTO-152)
- 3) ☐ Information Disclosure Statement(s) (PTO-1449) Paper No(s) _____ 6) ☐ Other: _____

DETAILED ACTION

Request for Continued Examination

1. A request for continued examination under 37 CFR 1.114, including the fee set forth in 37 CFR 1.17(e), was filed in this application after final rejection. Since this application is eligible for continued examination under 37 CFR 1.114, and the fee set forth in 37 CFR 1.17(e) has been timely paid, the finality of the previous Office action has been withdrawn pursuant to 37 CFR 1.114. Applicant's submission filed on 11/28/05 has been entered. An action on the RCE follows.

Claim Rejections - 35 USC § 103

2. The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:

(a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negated by the manner in which the invention was made.

3. Claims 55-58 and 60-64 are rejected under 35 U.S.C. 103(a) as being unpatentable over Xing et al. (U.S. 6,090,697) as previously cited in view of Aoki et al. (U.S. 6,033,953).

Regarding claims 55-58, Xing (Figs. 3 and 5) discloses a container capacitor comprising: a platinum lower electrode 304 provided within a first insulating layer 316, the platinum lower electrode 304 comprising a metal layer having a bottom wall and vertical sidewalls extending rectangular upwardly (see figure 5), wherein the platinum

Art Unit: 2814

metal layer has a thickness of approximately 100-500 angstroms (figure 3, column 6, lines 13-17); a second insulating layer 312 provided over the metal layer and in contact with the first insulating layer 316; and an upper electrode 314 provided over the second insulating layer 312. It is note that the process limitation (forming an electro-polished patterned metal layer) would not carry patentable weight in this claim drawn to a structure, because distinct structure is not necessarily produced. In re Thorpe, 227 USPQ 964 (Fed. Cir. 1985).

However, Aoki (Fig. 6) teaches the forming of a capacitor bottom electrode 38 by using an electropolishing method (column 5, lines 41-42). The electropolishing method would increase the radius of curvature at the extreme end of the metal particle for reducing the leakage current of the capacitor (column 8, lines 14-17). Accordingly, it would have been obvious to one having ordinary skill in the art at the time of the invention was made to use the electropolishing method for forming an electropolished patterned metal layer of Xing because such electropolishing method for forming electropolished patterned metal layer would reduce the leakage current of the capacitor, as taught by Aoki (column 8, lines 15-17).

Regarding claims 60-64, Xing (Figs. 3 and 5) discloses a container capacitor comprising: an insulating layer 316 provided over a substrate 300; a plurality of rectangular (see figure 5) opening provided in the insulating layer; and a plurality of platinum lower capacitor electrodes provided along the bottom and sidewalls of respective ones of the rectangular openings, the platinum lower electrodes being

formed as discrete metal layers, wherein the platinum electrodes 304 have a thickness of approximately 100-500 angstroms (figure 3, column 6, lines 13-17); and a dielectric layer 312 associated with each of the discrete the platinum lower electrodes, the dielectric layer being in contact with the first insulating layer 316. It is note that the process limitation (forming an electro-polished patterned metal layer) would not carry patentable weight in this claim drawn to a structure, because distinct structure is not necessarily produced. In re Thorpe, 227 USPQ 964 (Fed. Cir. 1985).

However, Aoki (Fig. 6) teaches the forming of a capacitor bottom electrode 38 by using an electropolishing method (column 5, lines 41-42). The electropolishing method would increase the radius of curvature at the extreme end of the metal particle for reducing the leakage current of the capacitor (column 8, lines 14-17). Accordingly, it would have been obvious to one having ordinary skill in the art at the time of the invention was made to use the electropolishing method for forming an electropolished patterned metal layer of Xing because such electropolishing method for forming electropolished patterned metal layer would reduce the leakage current of the capacitor, as taught by Aoki (column 8, lines 15-17).

4. Claims 36-39, 41, 44-47, 49, 51-54 and 59 are rejected under 35 U.S.C. 103(a) as being unpatentable over Xing et al. (U.S. 6,090,697) in view of Aoki et al. (U.S. 6,033,953) and further in view of Huang (U.S. Pat. 6,127,260).

Regarding claims 36-39 and 41, Xing (Figs. 3 and 6a) discloses a memory cell comprising:

a transistor (not shown) including a gate fabricated on the semiconductor substrate and including a source/drain region in the semiconductor substrate disposed adjacent to the gate (figure 6a);

a platinum metal layer 304 within an insulating layer 316 provided over the substrate wherein a thickness of approximately 100-500 angstroms (figure 3, column 6, lines 13-17); and

a container capacitor including a lower electrode 304, a dielectric layer 312 over the lower electrode, and an upper electrode 314 over the dielectric layer, the lower electrode having a surface aligned over the source/drain region, the platinum metal layer forming the platinum lower electrode, and the dielectric layer 312 being in contact with the insulating layer 316. It is note that the process limitation (forming an electropolished patterned metal layer) would not carry patentable weight in this claim drawn to a structure, because distinct structure is not necessarily produced. In re Thorpe, 227 USPQ 964 (Fed. Cir. 1985).

However, Aoki (Fig. 6) teaches the forming of a capacitor bottom electrode 38 by using an electropolishing method (column 5, lines 41-42). The electropolishing method would increase the radius of curvature at the extreme end of the metal particle for reducing the leakage current of the capacitor (column 8, lines 14-17). Accordingly, it would have been obvious to one having ordinary skill in the art at the time of the invention was made to use the electropolishing method for forming an electropolished patterned metal layer of Xing because such electropolishing method for forming

Art Unit: 2814

electropolished patterned metal layer would reduce the leakage current of the capacitor, as taught by Aoki (column 8, lines 15-17).

Xing does not teach an upper electrode comprising doped polysilicon. However, Huang (figure 4) discloses an upper electrode 35 comprising doped polysilicon (column 5, lines 51-59). It would have been obvious to one having ordinary skill in the art at the time of the invention was made to form doped polysilicon for an upper electrode of Xing because such the doped polysilicon of the upper electrode is conventional material used for storage node contacts structure, as taught by Huang.

Regarding claims 44-47 and 49, Xing (Fig. 3) discloses a processor-based system comprising:

a processor (column 13, lines 14-22); and

an integrated circuit coupled to the processor, at least one of the integrated circuit and processor comprising a container capacitor provided within an insulating layer 316, the container capacitor including a platinum lower electrode 304 having a thickness of approximately 50-300 angstroms (figure 3, column 6, lines 13-17), wherein a top surface of the metal layer 304 is at the same level with a top surface of the insulating layer 316. It is note that the process limitation (forming an electro-polished patterned metal layer) would not carry patentable weight in this claim drawn to a structure, because distinct structure is not necessarily produced. In re Thorpe, 227 USPQ 964 (Fed. Cir. 1985).

However, Aoki (Fig. 6) teaches the forming of a capacitor bottom electrode 38 by using an electropolishing method (column 5, lines 41-42). The electropolishing method would increase the radius of curvature at the extreme end of the metal particle for reducing the leakage current of the capacitor (column 8, lines 14-17). Accordingly, it would have been obvious to one having ordinary skill in the art at the time of the invention was made to use the electropolishing method for forming an electropolished patterned metal layer of Xing because such electropolishing method for forming electropolished patterned metal layer would reduce the leakage current of the capacitor, as taught by Aoki (column 8, lines 15-17).

Xing does not teach an upper electrode comprising doped polysilicon. However, Huang (figure 4) discloses an upper electrode 35 comprising doped polysilicon (column 5, lines 51-59). It would have been obvious to one having ordinary skill in the art at the time of the invention was made to form dope polysilicon for an upper electrode of Xing because such the doped polysilicon of the upper electrode is conventional material used for storage node contacts structure, as taught by Huang.

Regarding claims 51-54, Xing et al. further teach the integrated circuit may be used in DRAMs, FRAMs and other types of integrated circuits (column 3, lines 28-30).

Regarding claim 59, as discussed above, Xing (figures 2-3) further discloses a container capacitor comprising: a tantalum nitride barrier conductive layer 310 (column 5, lines 2-4).

Allowable Subject Matter

5. Claims 29-32 and 34-35 are allowed.

The following is an examiner's statement of reasons for allowance:

The prior art of record fails to disclose all the limitations recited in the independent claim. Specifically, the prior art of record fails to disclose an intermediate semiconductor device structure comprising: a photo-resist plug provided within the opening and over and in contact with the electropolished patterned metal layer.

Response to Arguments

6. Applicant reaffirms that “the limitation **electropolished patterned** is simply not a product-by-process limitation, but rather a *resulting structure* having distinct and defined characteristics”.

Again, the argument is still not persuasive because it should be noted that claims 29, 36, 44, 55 and 59-60 are not directed to any method for making a semiconductor device, but rather, are directed to the resulting of a semiconductor device. Therefore, the process limitation recited in claims 29, 36, 44, 55 and 59-60 (forming an electropolished patterned metal layer) would not carry patentable weight in claims drawn to a structure because these claims are directed to the product, no matter how the product of these claims is actually made, and the patentability of the final product must be determined, not the patentability of the process, which in any case have not been presented in “product by process” claims. *In re Thorpe*, 227 USPQ 964 (Fed. Cir. 1985). Applicant's argument thus is not persuasive because the final structure of the metal

formed by electropolished process as claimed does not distinguish from the final structure of the metal layer of Xing.

However, Aoki (Fig. 6) teaches the forming of a capacitor bottom electrode 38 by using an electropolishing method (column 5, lines 41-42). The electropolishing method would increase the radius of curvature at the extreme end of the metal particle for reducing the leakage current of the capacitor (column 8, lines 14-17). Accordingly, it would have been obvious to one having ordinary skill in the art at the time of the invention was made to use the electropolishing method for forming an electropolished patterned metal layer of Xing because such electropolishing method for forming electropolished patterned metal layer would reduce the leakage current of the capacitor, as taught by Aoki (column 8, lines 15-17).

The rest of applicant's arguments, addressed to the amended claims are considered in the rejections shown above.


Conclusion

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Theresa T. Doan whose telephone number is (571) 272-1704. The examiner can normally be reached on Monday to Friday from 7:00AM - 4:00PM.

Art Unit: 2814

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, WAEL FAHMY can be reached on (571) 272-1705. The fax phone number for the organization where this application or proceeding is assigned is 703-872-9306.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).


TD
January 20, 2006.